

## **HUMANE SLAUGHTER OF PIGS**



Electrode position



Alternative electrode position



Diagonal electrode position



Stick position

## MINIMUM STUNNING CURRENT: 1.3 amps ELECTRODE APPLICATION TIME: <u>NOT LESS</u> than 3 seconds STUN-TO-STICK TIME: <u>LESS</u> than 15 seconds

Phase	Duration	Visible signs	Action
TONIC	10 to 20 sec	<ul> <li>&gt; animal collapses</li> <li>&gt; body becomes rigid</li> <li>&gt; no rhythmic breathing</li> <li>&gt; head raised</li> <li>&gt; hind legs flexed into body</li> </ul>	> stick during this phase if possible
CLONIC	15 to 45 sec	<ul><li>involuntary kicking or paddling</li><li>relaxation</li></ul>	> stick immediately
RECOVERY	30 to 60 sec	<ul> <li>resumption of normal rhythmic breathing</li> <li>responds to painful stimuli</li> <li>becomes visually aware</li> <li>attempts to stand</li> </ul>	> stun with captive-bolt and stick immediately

For further information contact:

**Humane Slaughter Association** 

The Old School, Brewhouse Hill, Wheathampstead, Herts AL4 8AN, UK

t: +44 (0)1582 831919 f: +44 (0)1582 831414 e: info@hsa.org.uk w: www.hsa.org.uk Registered in England Charity No 1159690 Charitable Incorporated Organisation © HSA 2016 text amended 2010